State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
system weight lim		bject to Interstate mits – all weight limits tate weight formula	AK-1 (turnpike doubles) AK-2 (turnpike	Anchorage	Palmer
			doubles)	Fairbanks	Delta Jct.
			AK-3 (turnpike doubles)	Jct. AK-1	Fairbanks
			AK-1 (triples)	Anchorage	Jct. AK-3
			AK-3 (triples)	Jct. AK-1	Fairbanks
2. Arizona	129,000 lbs.	Single: 20,000 lbs.	I-15	Nevada	Utah
		Tandem: 34,000 Lbs.	US-89	20 miles S. of Utah	Utah
		LDS.	US-160	US-163	New Mexico
			US-163	US-160	Utah
3. Colorado	110,000 lbs.	Single: 20,000 lbs.	I-25	New Mexico	Wyoming
		Tandem: 36,000 lbs.	I-70	Utah	I-70 Exit 90

¹⁸³ Subject to the Federal Bridge Formula requirements

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
			I-70	I-70 Exit 259	Kansas
			I-76	Jct. I-70	Nebraska
			I-225	Jct. I-25	Jct. I-70
			I-270	Jct. I-76	Jct. I-70
4. Connecticut	80,000 lbs.	Single: 22,400 lbs.			
		Tandem: 36,000 lbs.			
5. District of Columbia	80,000 lbs.	Single: 22,000 lbs.	Grandfather Right 1974 (see State profile)		
Columbia		Tandem: 38,000 lbs.	1774 (see state prome)		
6. Florida	147,000 lbs.	Single: 22,000 lbs.	Florida Turnpike only		
		Tandem: 44,000 lbs.			
7. Georgia	80,000 lbs.	Single: 20,340 lbs.	Grandfather Right 1974	(see State profile)	
		Tandem: 34,000 lbs.			
8. Hawaii	88,000 lbs.	Single: 22,500 lbs.	All NN routes except H	I-95 from H-1 to Barber	s Point Harbor
		Tandem: 34,000 lbs.			

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
9. Idaho	105,500 lbs.	Single: 20,000 lbs.		All NN Routes	
		Tandem: 34,000 lbs.			
10. Indiana	127,400 lbs.	Single: 22,400 lbs.	I-80/90 (IN Toll Road)	Toll Gate 21	Ohio
		Tandem: 36,000 lbs.	I-90 (IN Toll Road)	Illinois	Toll Gate 21
11. Iowa	129,000/95,000 lbs. ¹⁸⁴	N/A	LCV combinations may City and its commercial		System routes in Sioux
12. Kansas	120,000 lbs.	Single: 22,000 lbs.	I-35 KS Turnpike Authority (KTA)	Oklahoma	KTA Exit 127
		Tandem: 34,000 lbs.	I-70 KTA	KTA Exit 182	KTA Exit 223
			I-335 KTA	KTA Exit 127	KTA Exit 177

^{184 129,000} lbs. when entering Sioux City from South Dakota or South Dakota from Sioux City. 95,000 lbs. when entering Sioux City from Nebraska or Nebraska from Sioux City

¹⁸⁵ 49 CFR 1048.101

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
			I-470 KTA	KTA Exit 177	KTA Exit 182
13. Maine	100,000 lbs.	Single: 22,400 lbs. Tandem: 41,000 lbs.	All Interstate Highways	Maximum and axle load limits vary by vehicle configuration; see profile for additional details.	
14. Maryland	80,000 lbs. ¹⁸⁶	Single: 22,400 Tandem: 34,000 lbs.	All Interstate Highways	GVW is less than 73,000	
	N/A	N/A	I- 68	In Garrett and Allegan	y Counties
15.Massachusetts	127,400 lbs.	Single: 22,400 lbs. Tandem: 36,000 lbs.	I-90 Mass Turnpike Authority	New York State	Turnpike Exit 18 Boston

¹⁸⁶ Maryland has two grandfather provisions. In addition to higher single axle loads, 4-axle trucks hauling certain commodities on I-68 are exempt from the Federal bridge formula, single axle limits and tandem axle limits.

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
16. Michigan	164,000 lbs.	Single: 18,000 lbs. Tandem: 32,000 lbs. ¹⁸		k designated State highw	ays
17. Missouri	120,000/90,000 lbs. ¹⁸⁸	N/A	All NN routes within a	20-mile band of Kansas	and Oklahoma borders
18. Montana	137,800/ 131,060 ¹⁸⁹ lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs. (37,500 MT/AB MOU)	Cargo-carrying length 8 MP79.3 to 82.5	8-93 feet: Interstate syste 8 feet or less: All NN ro J: I-15 from the border t	utes except U.S87 from
19. Nebraska	95,000 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.		All non-Interstate NN re	
20. Nevada	129,000 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.	All NN routes, except U	J.S93 from Nevada Sta	te route 500 to Arizona

¹⁸⁷ Tandem axle weight limit is 16,000 lbs. per axle for the first tandem, and 13,000 lbs. per axle for all others.

^{188 120,000} lbs. when entering from Kansas, 90,000 lbs. when entering from Oklahoma

^{189 137,800} for vehicles operating under the Montana/Alberta Memorandum of Understanding, 131,060 for all other LCV Combinations

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
21. New Hampshire	103,000 lbs.	Single: 22,400 lbs. Tandem: 36,000lbs	Grandfather Right 197	74 (see State profile)	
22. New Jersey	80,000 lbs.	Single: 22, 400 lbs. Tandem: 34,000 lbs.	Grandfather Right 197	74 (see State profile)	
23. New Mexico	86,400 lbs.	Single: 21,600 lbs. Tandem: 34,200 lbs.	All Interstate highways	S	
24. New York ¹⁹⁰	143,000 lbs.	Varies by number of axles and configuration	I-87 (NY Thruway) I-90 (NY Thruway)	Bronx/Westchester County Line Pennsylvania	Thruway Exit 24 Thruway Exit 24
			I-90 (NY Thruway)	Thruway Exit B1	Massachusetts
			I-190 (NY Thruway)	Thruway Exit 53	Int'l Border with Canada
			NY-912M	Thruway Exit 21A	Thruway Exit B1

¹⁹⁰ Tandem Trailer combinations in which neither trailing unit exceeds 28.5 feet may operate on all NN Highways

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
25. North Carolina	80,000 lbs.	Single: 20,000 lbs. Tandem: 38,000 lbs.	Grandfather 1956 (see S	tate profile)	
26. North Dakota	105,500 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.	All NN Routes		
27. Ohio	127,400/ 115,000 ¹⁹¹ lbs.	Single: 21,000 lbs. Tandem: 34,000 lbs.	I-76 (Ohio Turnpike) I-80 (Ohio Turnpike) I-80/90 (Ohio Turnpike) OH-7 ¹⁹²	Turnpike Exit 15 Turnpike Exit 8A Indiana Turnpike Exit 16	Pennsylvania Turnpike Exit 15 Turnpike Exit 8A Extending 1 mile south
28. Oklahoma	90,000 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.	Doubles with 29-foot trailers may use any route on the NN Doubles with trailers over 29-feet are limited to the Interstate highway and a number of route segments 193		

¹⁹¹ LCVs with truck tractor and two trailing units: 127,400 lbs., LCVs with truck tractor and three trailing units: 115,000 lbs.

¹⁹² Applicable to truck tractor and three trailing units.

¹⁹³ 45 separate Oklahoma highway segments are listed in 23 CFR 658, Appendix C

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
29. Oregon	105,500 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.		railing units: all NN routes	
30. Pennsylvania	80,000 lbs.	Varies by configuration see State profile	I-99	Bedford	Bald Eagle
31. Rhode Island	80,000 lbs.	Single: 22,400 lbs. Tandem: 44,800 lbs.			
32. South Carolina	80,000 lbs.	Single: 20,000 lbs. Tandem: 35,200 lbs.			
33. South Dakota	129,000 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.	US-14 Bypass US-14	W Jct. US-14 Bypass and US-14 Brookings I-29 Exit 133	So. Jct. U.S. 14 and US-281 W Jct. US-14 Bypass and US-14 Brookings

 $^{^{194}}$ 45 separate Oregon highway segments are listed in 23 CFR 658, Appendix C

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
			US-85	I-90 Exit 10	North Dakota
			US-281	I-90 Exit 310	So. Jct. US 14 and US- 281
			US-281	8 th Ave Aberdeen	North Dakota
			SD-50	Burleigh Street Yankton	I-29 Exit 26
34. Utah	129,000 Lbs.	Single: 20,000 lbs.	I-15	Arizona	Idaho
		Tandem: 34,000 lbs.	I-70	Jct I-15	Colorado
			I-80	Nevada	Wyoming
			I-84	Idaho	Jct I-80
			I-215	Entire length in Salt Lake City Area	
			UT-201	I-80 Exit 102 Lake Point Jct	300 West St Salt Lake City
35. Vermont	80,000 lbs.	Single: 22,400 lbs.	State limits can apply to	Interstate System	
		Tandem: 36,000 lbs.			

State	Maximum GVW ¹⁸³	Maximum Axle Weights	Applicable Routes		
			Highway	From	То
36. Washington	105,500 lbs.	Single: 20,000 lbs. Tandem: 34,000 lbs.	All NN routes except SR	. 410 and SR123 near Mi	Rainer National Park
37. Wisconsin	Varies by comm profile for more	•	I-39	I- 94 near Portage to S	R-29 south of Wausau
38. Wyoming	117,000 lbs.	Single: 20,000 lbs. Tandem: 36,000 lbs.	All NN routes		